


DAKTRONICS DA-1500 PRODUCT SPECIFICATIONS



DA-1500 with BB-2103
& SD-2101 (x2)

Enhance the appearance of any indoor display with piping decorative accent. Constructed of painted aluminum C-channels, piping can be added to the top or bottom of the display or used to visually join separate display pieces. Piping is shown above a scoreboard with optional lettering and as a decorative connection between statistic panels. This is only one example of the endless combinations to make a unique display.

MODEL	WIDTH	HEIGHT/DEPTH	WEIGHT
DA-1500-1.25	1'-3" (381 mm)	3" (76 mm)	2 lb (0.9 kg)
DA-1500-2.25	2'-3" (686 mm)	3" (76 mm)	4 lb (1.8 kg)
DA-1500-3	3'-0" (914 mm)	3" (76 mm)	5 lb (2.3 kg)
DA-1500-4	4'-0" (1.22 m)	3" (76 mm)	7 lb (3.2 kg)
DA-1500-5	5'-0" (1.52 m)	3" (76 mm)	8 lb (3.6 kg)
DA-1500-6	6'-0" (1.83 m)	3" (76 mm)	10 lb (4.5 kg)
DA-1500-7	7'-0" (2.13 m)	3" (76 mm)	12 lb (5.4 kg)
DA-1500-8	8'-0" (2.44 m)	3" (76 mm)	14 lb (6.4 kg)
DA-1500-9	9'-0" (2.74 m)	3" (76 mm)	15 lb (6.8 kg)
DA-1500-10	10'-0" (3.05 m)	3" (76 mm)	16 lb (7.3 kg)

COLOR

Choose from 150+ colors (from Martin Senour® paint book) at no additional cost.

CONSTRUCTION

Durable, lightweight aluminum

MOUNTING

Piping is typically mounted to the wall or between scoreboard sections. Mounting brackets are included; wall anchors are not included. Refer to attached drawings.

GENERAL INFORMATION

Piping is shipped in one section. Specifications and pricing are subject to change without notice.







OPTIONS

- Lettering and logo sheet metal cutouts

FOR ADDITIONAL INFORMATION

- Wall Mount Drawing: DWG-321687 (attached)
- Display Mount Drawing: DWG-250838 (attached)


REV.	DATE	DESCRIPTION	BY	APPR.



ANCHOR TO THE WALL WITH PROFESSIONALLY RECOMENDED ANCHOR BOLTS DESIGNED FOR THE SURFACE BEING MOUNTED TO

HC 1530


MOUNTING CLIP OM-301122



DETAIL: A
(5 X SCALE)

HC 1530

MOUNTING CLIP OM-301122




DETAIL: B
(5 X SCALE)

THE CONCEPTS EXPRESSED AND DETAILS SHOWN ON THIS DRAWING ARE CONFIDENTIAL AND PROPRIETARY. DO NOT REPRODUCE BY ANY MEANS, INCLUDING ELECTRONICALLY WITHOUT THE EXPRESSED WRITTEN CONSENT OF DAKTRONICS, INC. COPYRIGHT 2007 DAKTRONICS, INC.


PROJ: INDOOR DECORATIVE ACCENTS
 TITLE: SHOP DWG DA-1500
 DES. BY: WREICHL
 DRAWN BY: WREICHL
 DATE: 03 OCT 07

DAKTRONICS, INC. BROOKINGS, SD 57006


REVISION 00
 APPR. BY: WREICHL
 SCALE: 1=25
 1348-E07A-321687




FRONT VIEW




DA-1500-XX; OVERALL LENGTH WILL VARY
BASED ON C-CHANNEL ACCENT ORDERED.



FRONT VIEW



SECTION: A-A
(1 X SCALE)



DETAIL: A
(3 X SCALE)

INSTALLATION NOTES

1. INSTALL THE CABINET HAVING THE MOST CRITICAL LOCATION REQUIREMENTS PER ORDER SPEC.
2. INSTALL "C-CHANNELS" USING HC-1530 (#10 SELF TAPPING) HARDWARE. QUANTITY AND VERTICAL SPACING OF "C-CHANNELS" WILL BE SPECIFIED BY CUSTOMER. C-CHANNEL(S) SHOULD BE LOCATED NEAREST TO FRONT OF PREVIOUSLY INSTALLED CABINET.
3. POSITION NEXT CABINET AGAINST FREE END(S) OF "C-CHANNEL(S)" NOW INSTALLED ON PREVIOUS CABINET. C-CHANNEL(S) SHOULD ONCE AGAIN BE LOCATED NEAREST TO FRONT OF CABINET AND INSTALLED USING HC-1530 HARDWARE.
4. REPEAT STEPS 2 AND 3 UNTIL ALL CABINETS HAVE BEEN INSTALLED.

REV.	DATE	DESCRIPTION	BY	APPR.
03	19 NOV 09	UPDATED FOR NEW FORMED C-CHANNEL STYLE	MJK	
02	10 OCT 07	UPDATED FOR NEW TUBS STYLE	WAD	
01	23 OCT 06	REMOVED ASSEMBLY NUMBERS AND ADDED NOTE.	KJB	

<small>THE CONCEPTS EXPRESSED AND DETAILS SHOWN ON THIS DRAWING ARE CONFIDENTIAL AND PROPRIETARY. DO NOT REPRODUCE BY ANY MEANS, INCLUDING ELECTRONICALLY WITHOUT THE EXPRESSED WRITTEN CONSENT OF DAKTRONICS, INC. COPYRIGHT 2005 DAKTRONICS, INC.</small>	
DAKTRONICS, INC. BROOKINGS, SD 57006	
PROJ: INDOOR DECORATIVE ACCENTS	
TITLE: INSTALLATION DETAIL- INSIDE PIPING CONNECTION	
DES. BY: EREBHAWN	DATE: 12 AUG 05
REVISION	APPR. BY:
03	SCALE: 1=15
1348-E10B-250838	